



Grease and Odor Control Block



Caution
Keep Out Of Reach
Of Children.
See Side Panel For
Additional Precautionary
Statements.

Grease and Odor Control Block is manufactured with licensed, patent pending Inter-Core Technology. It is ideal for treating lift stations, grease traps and mains.

The core of this block releases first as a slug dose into the waste stream within minutes. It consists of a critical blend of enzymes designed to accelerate the breakdown of wastes and stimulate biological activity.

The outer shell of the block is also made from a critical blend of enzymes, containing 5,000 IU/gram. It is designed to release these enzymes slowly, providing 60 - 180 days of continuous grease and odor control.

- Easy installation with minimal ongoing attention.
- Near neutral pH.
- Excellent for grease, scum and oil removal.
- Presents no material safety handling or closed space issues.
- Enhances the bacterial process in plant.
- No hazardous components, no VOCs, ranked zero in all HMIS numbers.
- Non-toxic according to EPA, OSHA, NIOSH and WHMIS standards.
- Works at temperature range 38°F to 165°F, with optimum temperature ranges 65°F to 110°F.
- Eliminates odors.
- World-Wise Certified and bio-based.

DIRECTIONS:

Grease Traps: Product should be suspended in the trap so the block is just under the grease cap. Apply one 2 lb. block for every 350 gallons capacity. If capacity is over 350 gallons, spread the blocks out in different sections of the trap.

Manholes and Mains: In manhole, product should be placed in the U channel nearly vertically pointed downstream on the upstream end of the U channel.

Lift Stations: Blocks should be used in low flow applications. Suspend the block so the entire block is submerged below the water at its lowest level.

Lift Station Flow	Block Size	Number of Blocks
Under 50,000 gal.	2 lb.	1
50,000-100,000 gal.	2 lb.	2

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Flush with plenty of water for at least 15 minutes while keeping the eyelids wide open. If irritation persists, seek medical attention.

SKIN: Wash with soap and water. Launder clothing. If irritation or redness persists, seek medical attention.

INHALATION: Not applicable.

INGESTION: Thoroughly rinse mouth with water. Drink one or two glasses of water. Slight gastrointestinal discomfort may occur.

An MSDS for this product is available through AMRO's website at www.amroproducts.com, providing 24 hour access. Please read the MSDS carefully and follow all directions when using or handling this product. Never reuse empty containers. Incompatible materials may adversely react.

HMIS: SPECIFIC HAZARDS: HEALTH-0 FLAMMABILITY-0 PHYSICAL HAZARD-0
HMIS® III CODE: 0=MINIMAL 1=SLIGHT 2=MODERATE 3=SERIOUS 4=SEVERE
PERSONAL PROTECTION INDEX: Glasses & Gloves

Net Contents:



Made and Printed in U.S.A. 1NB658-11